

**AMENDMENT**

**In the Specification**

Please replace the paragraph starting at page 1, line 18 with the following:

a' The subject matter of this application is related to the subject matter in a co-pending non-provisional application by the same inventor as the instant application entitled, "Method and Apparatus for Facilitating Single Sign On through Redirection to a Login Server," having serial number 09/550,725, and filing date 17 April 2000 (Attorney Docket No. OR99-17601).

Please replace the paragraph starting at page 8, line 10 with the following:

a2 Client 101 includes browser 130. Browser 130 can include any type of web browser capable of viewing a web site, such as the INTERNET EXPLORER™ browser distributed by the Microsoft Corporation of Redmond, Washington.

**In the Claims:**

- a3
- 1 1. (Unchanged) A method for facilitating access to a plurality of
  - 2 applications that require passwords, comprising:
  - 3 receiving a request for a password from an application running on a
  - 4 remote computer system, the request being received at a local computer system;
  - 5 authenticating the request as originating from a trusted source;
  - 6 using an identifier for the application to look up the password for the
  - 7 application in a password store containing a plurality of passwords associated with
  - 8 the plurality of applications; and

9 if the password exists in the password store, sending the password or a  
10 function of the password to the application on the remote computer system.

1 2. (Unchanged) The method of claim 1, wherein the request for the  
2 password includes computer code that when run on the local computer system  
3 requests the password on behalf of the application on the remote computer system.

1 3. (Unchanged) The method of claim 2, wherein the computer code is in  
2 the form of a JAVA applet that runs on a JAVA virtual machine on the local  
3 computer system.

1 4. (Unchanged) The method of claim 3, wherein sending the password or  
2 the function of the password to the application to the remote computer system  
3 involves:  
4 communicating the password to the JAVA applet; and  
5 allowing the JAVA applet to forward the password to the application on  
6 the remote computer system.

1 5. (Unchanged) The method of claim 3, wherein the JAVA applet is a  
2 signed JAVA applet, and wherein authenticating the request includes  
3 authenticating the JAVA applet's certificate chain.

1 6. (Unchanged) The method of claim 1, wherein authenticating the  
2 request involves authenticating a creator of the request.

1 7. (Unchanged) The method of claim 1, wherein authenticating the  
2 request involves authenticating the remote computer system that sent the request.

1 8. (Unchanged) The method of claim 1, further comprising, if the  
2 password store is being accessed for the first time,  
3 prompting a user for a single sign on password for the password store; and  
4 using the single sign on password to open the password store.

1 9. (Unchanged) The method of claim 8, wherein if a time out period for  
2 the password store expires,  
3 prompting the user again for the single sign on password for the password  
4 store; and  
5 using the single sign on password to open the password store.

1 10. (Unchanged) The method of claim 1, wherein if the password store is  
2 being accessed for the first time, the method further comprises authenticating the  
3 user through an authentication mechanism, wherein the authentication mechanism  
4 can include:  
5 a smart card;  
6 a biometric authentication mechanism; and  
7 a public key infrastructure.

1 11. (Unchanged) The method of claim 1, wherein if the password does  
2 not exist in the password store, the method further comprises:  
3 adding the password to the password store; and  
4 sending the password to the application on the remote computer system.

1 12. (Unchanged) The method of claim 11, wherein adding the password  
2 to the password store further comprises automatically generating the password.

1 13. (Unchanged) The method of claim 11, wherein adding the password  
2 to the password store further comprises asking a user to provide the password.

1 14. (Unchanged) The method of claim 1, further comprising decrypting  
2 data in the password store prior to looking up the password in the password store.

1 15. (Unchanged) The method of claim 1, wherein the password store is  
2 located on a second remote computer system.

1 16. (Once Amended) The method of claim 1, wherein the password store  
2 is located on one of:  
3 a local smart card,  
4 a removable storage medium; and  
5 a memory button.

1 17. (Unchanged) The method of claim 1, further comprising:  
2 receiving a request to change the password from the application on the  
3 remote computer system;  
4 automatically generating a replacement password;  
5 storing the replacement password in the password store; and  
6 forwarding the replacement password or the password function to the  
7 application on the remote computer system.

1 18. (Unchanged) A computer-readable storage medium storing  
2 instructions that when executed by a computer cause the computer to perform a  
3 method for facilitating access to a plurality of applications that require passwords,  
4 the method comprising:

5 receiving a request for a password from an application running on a  
6 remote computer system, the request being received at a local computer system;  
7 authenticating the request as originating from a trusted source;  
8 using an identifier for the application to look up the password for the  
9 application in a password store containing a plurality of passwords associated with  
10 the plurality of applications; and  
11 if the password exists in the password store, sending the password or a  
12 function of the password to the application on the remote computer system.

1 19. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein the request for the password includes computer code that when run on the  
3 local computer system requests the password on behalf of the application on the  
4 remote computer system.

1 20. (Unchanged) The computer-readable storage medium of claim 19,  
2 wherein the computer code is in the form of a JAVA applet that runs on a JAVA  
3 virtual machine on the local computer system.

1 21. (Unchanged) The computer-readable storage medium of claim 20,  
2 wherein sending the password or the function of the password to the application to  
3 the remote computer system involves:  
4 communicating the password to the JAVA applet; and  
5 allowing the JAVA applet to forward the password to the application on  
6 the remote computer system.

1 22. (Unchanged) The computer-readable storage medium of claim 20,  
2 wherein the JAVA applet is a signed JAVA applet, and wherein authenticating the  
3 request includes authenticating the JAVA applet's certificate chain.

1           23. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein authenticating the request involves authenticating a creator of the request.

1           24. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein authenticating the request involves authenticating the remote computer  
3 system that sent the request.

1           25. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein the method further comprises, if the password store is being accessed for  
3 the first time,  
4           prompting a user for a single sign on password for the password store; and  
5           using the single sign on password to open the password store.

1           26. (Unchanged) The computer-readable storage medium of claim 25,  
2 wherein if a time out period for the password store expires, the method further  
3 comprises:  
4           prompting the user again for the single sign on password for the password  
5 store; and  
6           using the single sign on password to open the password store.

1           27. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein if the password store is being accessed for the first time, the method  
3 further comprises authenticating the user through an authentication mechanism,  
4 wherein the authentication mechanism can include:  
5           a smart card;  
6           a biometric authentication mechanism; and  
7           a public key infrastructure.

1           28. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein if the password does not exist in the password store, the method further  
3 comprises:  
4           adding the password to the password store; and  
5           sending the password to the application on the remote computer system.

1           29. (Unchanged) The computer-readable storage medium of claim 28,  
2 wherein adding the password to the password store further comprises  
3 automatically generating the password.

1           30. (Unchanged) The computer-readable storage medium of claim 28,  
2 wherein adding the password to the password store further comprises asking a  
3 user to provide the password.

1           31. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein the method further comprises decrypting data in the password store prior  
3 to looking up the password in the password store.

1           32. (Unchanged) The computer-readable storage medium of claim 18,  
2 wherein the password store is located on a second remote computer system.

1           33. (Once Amended) The computer readable storage medium of claim  
2 18, wherein the password store is located on one of:  
3           a local smart card;  
4           a removable storage medium; and  
5           a memory button.

1           34.     The computer-readable storage medium of claim 18, wherein the  
2 method further comprises:  
3           receiving a request to change the password from the application on the  
4 remote computer system;  
5           automatically generating a replacement password;  
6           storing the replacement password in the password store; and  
7           forwarding the replacement password or the password function to the  
8 application on the remote computer system.

1           35. (Unchanged) An apparatus that facilitates accessing a plurality of  
2 applications that require passwords, comprising:  
3           a receiving mechanism that receives a request for a password from an  
4 application running on a remote computer system, the request being received at a  
5 local computer system;  
6           an authentication mechanism that authenticates the request as originating  
7 from a trusted source;  
8           a lookup mechanism that uses an identifier for the application to look up  
9 the password for the application in a password store containing a plurality of  
10 passwords associated with the plurality of applications; and  
11           a forwarding mechanism that sends the password to the application on the  
12 remote computer system if the password exists in the password store.

1           36. (Unchanged) The apparatus of claim 35, wherein the request for the  
2 password includes computer code that when run on the local computer system  
3 requests the password on behalf of the application on the remote computer system.



1           37. (Unchanged) The apparatus of claim 36, wherein the computer code  
2 is in the form of a JAVA applet that runs on a JAVA virtual machine on the local  
3 computer system.

1           38. (Unchanged) The apparatus of claim 37, wherein the forwarding  
2 mechanism is configured to send the password to the application on the remote  
3 computer system by:  
4           communicating the password to the JAVA applet; and  
5           allowing the JAVA applet to forward the password to the application on  
6 the remote computer system.

*A3*  
1           39. (Unchanged) The apparatus of claim 37, wherein the JAVA applet is  
2 a signed JAVA applet, and wherein the authentication mechanism is configured to  
3 authenticate a certificate chain.

1           40. (Unchanged) The apparatus of claim 35, wherein the authentication  
2 mechanism is configured to authenticate a creator of the request.

1           41. (Unchanged) The apparatus of claim 35, wherein the authentication  
2 mechanism is configured to authenticate the remote computer system that sent the  
3 request.

1           42. (Unchanged) The apparatus of claim 35, wherein if the password  
2 store is being accessed for the first time, the lookup mechanism is configured to:  
3           prompt a user for a single sign on password for the password store; and to  
4           use the single sign on password to open the password store.

1 43. (Unchanged) The apparatus of claim 42, wherein if a time out period  
2 for the password store expires, the lookup mechanism is configured to:  
3 prompt the user again for the single sign on password for the password  
4 store; and to  
5 use the single sign on password to open the password store.

1 44. (Unchanged) The apparatus of claim 35, wherein if the password  
2 store is being accessed for the first time, the lookup mechanism is configured to  
3 authenticate the user through an authentication mechanism, wherein the  
4 authentication mechanism can include:  
5 a smart card;  
6 a biometric authentication mechanism; and  
7 a public key infrastructure.

1 45. (Unchanged) The apparatus of claim 35, further comprising an  
2 insertion mechanism, wherein if the password does not exist in the password store  
3 the insertion mechanism is configured to:  
4 add the password to the password store; and to  
5 send the password to the application on the remote computer system.

1 46. (Unchanged) The apparatus of claim 45, wherein the insertion  
2 mechanism is additionally configured to automatically generate the password.

1 47. (Unchanged) The apparatus of claim 45, wherein the insertion  
2 mechanism is additionally configured to ask a user to provide the password.

1 48. (Unchanged) The apparatus of claim 35, further comprising a  
2 decryption mechanism that is configured to decrypt data in the password store.

1           49. (Unchanged) The apparatus of claim 35, wherein the password store  
2 is located on a second remote computer system.

1           50. (Once Amended) The apparatus of claim 35, wherein the password  
2 store is located on one of:  
3           a local smart card;  
4           a floppy disk; and  
5           a memory button.

1           51. (Unchanged) The apparatus of claim 35, further comprising a  
2 password changing mechanism that is configured to:  
3           receive a request to change the password from the application on the  
4 remote computer system;  
5           automatically generate a replacement password;  
6           store the replacement password in the password store; and to  
7           forward the replacement password to the application on the remote  
8 computer system.

1           52. (New) A method for facilitating access to a plurality of applications  
2 that require passwords, comprising:  
3           receiving a request to look up a password at a password server;  
4           wherein the request is received from a client and includes an identifier for  
5 an application requesting the password from the client;  
6           using the identifier for the application to look up the password for the  
7 application in a password store containing a plurality of passwords associated with  
8 the plurality of applications; and

9 if the password exists in the password store, sending the password or a  
10 function of the password to the client, so that the client can present the password  
11 to the application.

1 53. (New) The method of claim 53, wherein the request is received from  
2 computer code running on the client that requests the password on behalf of the  
3 application.

1 54. (New) The method of claim 54, wherein the computer code is in the  
2 form of a JAVA applet that runs on a JAVA virtual machine on the client.

1 55. (New) A server that distributes code for facilitating access to a  
2 plurality of applications that require passwords, wherein the code operates by:  
3 receiving a request for a password from an application running on a  
4 remote computer system, the request being received at a local computer system;  
5 authenticating the request as originating from a trusted source;  
6 using an identifier for the application to look up the password for the  
7 application in a password store containing a plurality of passwords associated with  
8 the plurality of applications; and  
9 if the password exists in the password store, sending the password or a  
10 function of the password to the application on the remote computer system.

### **COMMENTS**

Applicant has amended claims 16, 33 and 50, and as added new claims 53-56.